Mini Review

Natural Products Derived from Microorganisms as Eco-Friendly Antimicrobials for Environmental Applications

Monthon Lertcanawanichakul*
School of Allied Health Sciences, Walailak University, Nakhon Si Thammarat, Thailand

Abstract

Microbial contamination in water, soil, and waste systems remains a central environmental challenge. Although chemical disinfectants are widely used, concerns regarding ecological toxicity, antimicrobial resistance, and long-term accumulation have motivated the search for safer alternatives. Microbial-derived natural products, including organic acids, biosurfactants, and antimicrobial peptides (AMPs) offer promising eco-friendly strategies due to their biodegradability, selectivity, and compatibility with natural ecosystems. This mini review highlights key mechanisms, emerging applications, and the practical potential of microbial metabolites, with personal perspectives emphasizing their value for sustainable environmental management in developing regions.

Introduction

Pathogenic microorganisms in environmental compartments, particularly aquatic systems, wastewater, and soil, continue to threaten ecological stability and public health. Chemical disinfectants such as chlorine and quaternary ammonium compounds remain dominant, but their drawbacks are well recognized: formation of toxic disinfection by-products, bioaccumulation, ecological disturbance, and rising antimicrobial tolerance [1]. Over the past decade, microbial natural products have drawn increasing attention as green antimicrobial agents.

Based on my experience working with environmental microbiology and natural antimicrobials, I believe that metabolites produced by lactic acid bacteria (LAB) and Bacillus spp. represent some of the most practical and underutilized solutions, especially for low-cost systems where sustainable approaches are urgently needed. These microbial-derived products offer a promising avenue for eco-friendly antimicrobial strategies, combining efficacy, biodegradability, and compatibility with natural ecosystems.

Mechanisms of Microbial-Derived Natural Antimicrobials

Organic acids from LAB

LAB produce lactic, acetic, and propionic acids, which decrease pH and disrupt membrane potential. This creates an unfavorable environment for pathogens including Escherichia coli, Vibrio, and numerous spoilage organisms [2]. Organic acids are highly biodegradable, making them suitable for small-scale water treatment or bioaugmentation in decentralized systems.

Antimicrobial peptides and bacteriocins

Bacteriocins such as nisin, pediocin, and subtilin have well-characterized pore-forming actions that rapidly kill Gram-positive bacteria [3]. Subtilin-like peptides from Bacillus can also inhibit biofilms, a major advantage over chemical disinfectants, which often fail to penetrate structured biofilms. Importantly, these AMPs remain effective at low concentrations and degrade naturally in the environment.

SHRINE PUBLISHERS
Crafting your Achievement

Research in Environment Science and Ecology (RESE)

Volume 2 Issue 1, 2025

Article Information
Received date: November 24, 2025
Published date: December 04, 2025

***Corresponding author**
Monthon Lertcanawanichakul, School of Allied Health Sciences, Walailak University, Nakhon Si Thammarat, Thailand

DOI: 10.65070/RESE.2025.302

Keywords
Microbial contamination; Water; Soil; Waste; Eco-friendly strategies; Microbial-derived natural products; Biosurfactants; Antimicrobial peptides (AMPs); Sustainable environmental management

Biosurfactants

Biosurfactants like surfactin, fengycin, and iturin are multifunctional molecules with antimicrobial, anti-biofilm, and pollutant-solubilizing activities [4]. Because of their amphiphilic nature, biosurfactants destabilize microbial membranes and enhance contaminant degradation. In my view, biosurfactants are one of the most versatile microbial products for environmental systems due to their dual action: pathogen suppression + bioremediation.

Enzymes and secondary metabolites

Several Bacillus species produce chitinases, glucanases, and proteases that degrade fungal and bacterial cell structures. These enzymes are particularly effective in soil systems where microbial interactions are complex [5]. The environmental safety of these enzymes further supports their integration into eco-friendly strategies.

Table 1 summarizes the main classes of microbial-derived natural antimicrobials, including organic acids, antimicrobial peptides (AMPs) and bacteriocins, biosurfactants, and enzymes/secondary metabolites, along with their primary targets and functional roles. Organic acids from lactic acid bacteria (LAB) reduce pH and disrupt microbial membranes, inhibiting pathogens such as Escherichia coli and Vibrio. AMPs and bacteriocins, such as nisin and subtilin, form pores in bacterial membranes and can prevent biofilm formation. Biosurfactants, including surfactin and fengycin, combine antimicrobial and pollutant-solubilizing activities, while enzymes from Bacillus species degrade microbial cell structures in complex soil systems. Figure 1 illustrates these mechanisms, highlighting how microbial-derived compounds suppress pathogens and promote eco-friendly remediation in environmental applications.

Table 1: Summary of Microbial-Derived Antimicrobials.

Microbial product	Source	Target	Mechanism	Application	Advantages/ Limitations	Reference
Organic acids	LAB	*Escherichia coli, Vibrio*	pH reduction, membrane disruption	Water, wastewater	Biodegradable, low cost	[2]
Antimicrobial peptides (AMPs) / Bacteriocins (nisin, subtilin)	*Bacillus* spp.	Gram-positive bacteria, biofilms	Pore formation, biofilm inhibition	Biofilters, soil, wastewater	Effective at low concentration, eco-friendly, biofilm suppression	[3,5,6]
Biosurfactants (surfactin, fengycin, iturin)	*Bacillus* spp.	Multiple pathogens, hydrophobic pollutants	Membrane destabilization, pollutant solubilization	Soil, compost, wastewater	Dual function: antimicrobial + bioremediation	[4,8]
Enzymes (chitinase, protease, glucanase)	*Bacillus* spp.	Fungi, bacteria	Cell wall degradation, antifungal activity	Soil, compost	Biodegradable, low toxicity, safe	[5,7]



Figure 1: Conceptual Diagram Description: Mechanisms of Microbial-Derived Antimicrobials.

Applications in Environmental Systems

Water and wastewater treatment

Microbial metabolites inhibit waterborne pathogens while avoiding harmful residues. LAB-derived acids can reduce pathogen loads in small water bodies, whereas Bacillus AMPs are ideal for biofilter systems. Biosurfactants break down hydrophobic contaminants, improving both microbial safety and chemical oxygen demand (COD) reduction [6].

From practical experience, these tools are particularly valuable for rural or semi-urban communities where advanced treatment systems are unavailable.

Soil and agricultural environments

In soil ecosystems, Bacillus metabolites suppress Fusarium, Rhizoctonia, and other phytopathogens, while promoting plant resilience [7]. Their natural degradability prevents the long-term soil accumulation commonly seen with chemical fungicides.

Waste management and composting

LAB and Bacillus consortia accelerate organic matter breakdown, reduce odor-causing bacteria, and lower pathogen counts in compost and food waste. Biosurfactants enhance aeration and substrate accessibility, further improving compost quality [8]. These applications offer sustainable alternatives for community-level waste management.

Figure 2 illustrates the diverse applications of microbial-derived natural products in water, soil, and waste management, highlighting their eco-friendly impacts.



Figure 2: Role of microbial natural products in sustainable water, soil, and waste treatment.

Safety and Sustainability Considerations

Microbial metabolites are biodegradable, low in toxicity, and generally recognized as safe (GRAS) when produced by established strains [4,8]. Main considerations for practical implementation include production scalability, stability during application, and regulatory acceptance [5,7]. Despite clear laboratory evidence of efficacy, many communities have yet to adopt these eco-friendly antimicrobials due to limited awareness, cost concerns, and lack of standardized formulations [1,5].

Future Perspectives - Author Insight

Based on my work with microbial metabolites, I believe that their potential in environmental management is still underestimated. Three strategic directions may unlock broader application:

a) Localized fermentation platforms: Using agricultural by-products as low-cost substrates can drastically reduce production costs.
b) Integrated microbial solutions: Combining LAB acids, Bacillus biosurfactants, and AMPs could create multi-functional agents suitable for water, soil, and waste systems.
c) Policy-driven encouragement: Encouraging eco-friendly antimicrobials in environmental guidelines could accelerate adoption and reduce reliance on chemical disinfectants.

Natural microbial products represent a sustainable, community-friendly solution. With modest investment in formulation and policy support, these biobased antimicrobials could significantly transform environmental management practices.

Acknowledgement

Thanks to my mentors, colleagues, and all researchers whose work inspired this mini review and to the microbes leading the charge toward sustainable environmental solutions.

References

1. Rutala WA, Weber DJ (2016) Disinfection and sterilization in health care facilities: an overview and current issues. Infect Dis Clin North Am 30(3): 609-637.

2. Mokoena MP (2017) Lactic acid bacteria and their bacteriocins: classification, biosynthesis and applications against uropathogens: a mini-review. Molecules 22(8): 1255.

3. Cotter PD, Ross RP, Hill C (2013) Bacteriocins - a viable alternative to antibiotics? Nat Rev Microbiol 11(2): 95-105.

4. Santos DKF, Rufino RD, Luna JM, Santos VA, Sarubbo LA (2016) Biosurfactants: multifunctional biomolecules of the 21st century. Int J Mol Sci 17(3): 401.

5. Caulier S, Nannan C, Gillis A, Licciardi F, Bragard C, et al. (2019) Overview of the antimicrobial compounds produced by members of the Bacillus subtilis group. Front Microbiol 10: 302.

6. Yang SC, Lin CH, Sung CT, Fang JY (2014) Antibacterial activities of bacteriocins: application in foods and pharmaceuticals. Front Microbiol 5: 241.

7. Mosela M, Andrade G, Massucato LR, Almeida SRA, Nogueira AF, et al. (2022) Bacillus velezensis strain Ag75 as a new multifunctional agent for biocontrol, phosphate solubilization and growth promotion in maize and soybean crops. Sci Rep 12: 15284.

8. Singh A, Van Hamme JD, Ward OP (2007) Surfactants in microbiology and biotechnology: Part 2. Application aspects. Biotechnol Adv 25(1): 99-121.